

Installation Instructions for Hot Fix J71005

Linux for x64

Hot fix J71005 addresses the issue(s) in SAS Detail Data Store for Insurance5.5 as documented in the *Issue(s) Addressed* section of the hot fix download page:

<http://ftp.sas.com/techsup/download/hotfix/HF2/J71.html#J71005>

IMPORTANT NOTES

1. You must have SAS Detail Data Store for Insurance5.5 for the version installed on your system before applying this hot fix. Refer to [SN-35968](#) for instructions on how to determine which product releases you have installed.
2. Files delivered in this hot fix will be backed up during the installation process. However, it is good general practice to back up your system before applying updates to software.
3. You must have Administrator Privileges on your CLIENT or SERVER machine.
4. All currently active SAS sessions, daemons, spawners and servers must be terminated before applying this hot fix.
5. This hot fix should be installed using the same userid who performed the initial software installation.

INSTALLATION

The J71005 hot fix for SAS Detail Data Store for Insurance 5.5 will be installed using the SAS Deployment Manager (SDM). By default, the SDM will search in the <SASHOME>/InstallMisc/HotFixes/New directory for hot fixes to be applied, but will also prompt for a location if you have downloaded hot fixes to a different directory.

After downloading J710051a.zip, follow the instructions for applying hot fixes in the **SAS [Deployment Wizard and SAS Deployment Manager 9.3: User's Guide](#)**.

POST-INSTALLATION INSTRUCTIONS

1. If you have existing DDS physical tables, then take a backup of the data in a different location.
2. Following is the summary of the changes as of IAA55 HF4

- **Newly added tables:**

Table Name
BUSINESS_ENTITY
TRADE

- **Newly added columns:**

Table Name	Column Name
BOND_INSTRUMENT	PRINCIPAL_EXCHANGE_FLG
	CONVERTIBLE_FLG
CEDED_LOSS	CEDED_LOSS_STATUS_CD
	CEDED_LOSS_STATUS_REASON_CD
	CEDED_LOSS_STATUS_CHANGE_DT
	CEDED_LOSS_AMT_CHANGE_DTTM
COUNTERPARTY	MIN_CAPITAL_REQ_FLG
	SINGLE_NAME_EXPOSURE_FLG
	SOLVENCY2_STANDARD_ID
CREDIT_RISK_MITIGANT	PRIM_COLL_ASSET_TYPE_CD
FINANCIAL_ACCOUNT	PREPMT_PSA_SPEED_RT
FINANCIAL_POSITION	CUSTODIAN_COUNTERPARTY_RK
SECURITIZATION_POOL	RESECURITIZATION_FLG
CONTRACT_SECTION_X_RI_CARRIER	ANNOTATION_TXT
FINANCIAL_FUND	PROFIT_PARTICIPATION_PCT
	DERIVATVE_HELD_LINKED_FUND_FLG
XL_LAYER_X_RI_CARRIER	ANNOTATION_TXT
FINANCIAL_INSTRUMENT_CHNG	SWAP_DELIVERED_CURRENCY_CD
	SWAP_RECEIVED_CURRENCY_CD
FUND_INSTRUMENT	DELTA_RT
PORTFOLIO	ASSET_PORTFOLIO_SEGMNT_TYPE_CD
GL_ACCOUNT_BALANCE	TAX_RT
GL_SEGMENT_BALANCE	AS_OF_DT
	TAX_RT
REPO_INSTRUMENT	COLLATERAL_TYPE_CD
	ROLLOVER_STRATEGY_ID
SECURITIZATION_INSTRUMENT	PREPAY_STRUCTURED_PRODUCT_FLG
SECURITIZATION_POOL	UNDERLYING_COLLATERAL_TYPE_CD

- **Columns having changed attributes:**

Table Name	Column Name
ACCOUNT_PERIOD_ASSOC	ORDER_NO
CURRENCY_CONVERSION_RATE	CONVERSION_RT
FINANCIAL_INSTRUMENT	FINANCIAL_INSTRUMENT_NM
FUND_INSTRUMENT	LEVEL_OF_LOOKTHROUGH_CD
MARKET_DATA	DATA_DTTM
REINSURANCE_CONTRACT	CEDENTS_CONTRACT_ID

REINSURANCE_CONTRACT_SECTION	MAX_COVER_PER_RISK_EVENT
UNIT_OF_MEASURE	UOM_TYPE_DESC

3. If you already have existing DDS physical tables, then execute the ddls of the tables which have undergone changes as mentioned in point 2 above from
<SASHOME>/SASFoundation/9.3/misc/insurancedds/insurancedds_5.5/ddl/sas folder.
4. If you do not have existing DDS physical tables, then execute the ddlgen.sas file present in <SASHOME>/SASFoundation/9.3/misc/insurancedds/insurancedds_5.5/ddl/sas folder.
5. If you already have existing DDS physical tables, migrate the data for those tables which are updated in this hot fix.
6. Copy the files present in
<SASHOME>/SASFoundation/9.3/misc/insurancedds/insurancedds_5.5/metadata/ folder to a location which can be accessed by DI studio client.
7. Open DI studio and logon as unrestricted user.
8. If you have existing metadata for DDS, backup the same.
9. If you do not have existing metadata for DDS, then import *insurancedds_55_sas.spk*, *insurancedds_55_hf1_sas.spk*, *insurancedds_55_hf2_sas.spk*, and *insurancedds_55_hf3_sas.spk* followed by *insurancedds_55_hf4_sas.spk*.
10. If you have existing metadata for DDS 5.5, then import *insurancedds_55_hf1_sas.spk*, *insurancedds_55_hf2_sas.spk*, and *insurancedds_55_hf3_sas.spk* followed by *insurancedds_55_hf4_sas.spk*.
11. If you have existing metadata for DDS 5.5 and hot fix 1, then import *insurancedds_55_hf2_sas.spk*, *insurancedds_55_hf3_sas.spk* followed by *insurancedds_55_hf4_sas.spk*.
12. If you have existing metadata for DDS 5.5 and hot fix 1 and 2, then import *insurancedds_55_hf3_sas.spk* followed by *insurancedds_55_hf4_sas.spk*.
13. If you have existing metadata for DDS 5.5 and hot fix 1, 2 and 3, then import *insurancedds_55_hf4_sas.spk*.
14. For third party databases the corresponding ddl and SAS package files can be used for applying the hot fix.
 - DDLs for third party databases are available at
<SASHOME>/SASFoundation/9.3/misc/insurancedds/insurancedds_5.5/ddl/<database name>/DB2: d2ddl.sas
Oracle: orddlgen.sas
Teradata: teradata/trddl.sas
 - SAS package files for third party databases are available at
<SASHOME>/SASFoundation/9.3/misc/insurancedds/insurancedds_5.5/metadata/
DB2: IAA55: *insurancedds_55_db2.spk*
IAA55 hf1: *insurancedds_55_hf1_db2.spk*
IAA55 hf2: *insurancedds_55_hf2_db2.spk*
IAA55 hf3: *insurancedds_55_hf3_db2.spk*
IAA55 hf4: *insurancedds_55_hf4_db2.spk*

Oracle: *IAA55: insurancedds_55_oracle.spk*
IAA55hf1: insurancedds_55_hf1_oracle.spk
IAA55 hf2: insurancedds_55_hf2_oracle.spk
IAA55 hf3: insurancedds_55_hf3_oracle.spk
IAA55 hf4: insurancedds_55_hf4_oracle.spk

Teradata: *IAA55: insurancedds_55_teradata.spk*
IAA55hf1: insurancedds_55_hf1_teradata.spk
IAA55hf2: insurancedds_55_hf2_teradata.spk
IAA55hf3: insurancedds_55_hf3_teradata.spk
IAA55hf4: insurancedds_55_hf4_teradata.spk

For detailed instructions of creating physical table and importing metadata, please refer to SAS® Detail Data Store for Insurance 5.5.

Notes:

- a. For third party databases, if DDS physical tables already exist, then
 - o Backup the data from tables which have undergone changes as mentioned in point 2 above.
 - o Drop the physical tables.
 - o Execute the macro of table creation (d2ddl.sas / orddlgen.sas / trddl.sas based on database) with keeping list of only the tables mentioned in point 2.

This completes the installation of hot fix **J71005** on **Linux for x64**.