

Files contained in this patch:

File	Rationale
R3.3_DB2_SOR_patch_3.3.1.8_Upgrade_Instructions.pdf	this file
set_xact_fraud_flag.sql	Replacement Stored Procedure. Fix to replace the insertion of a NULL into FMX_FRAUD_UPDT.CMX_TRAN_ID Column when 50 transactions, or multiple of 50 transactions are marked/unmarked as CF in the Analyst Workstation Grids.
dml.sql	Insert the hotfix 3.3 M1 HF8 version number to the FCM_VERSION table.

Patch Description:

Release 3.3.1.8:

Preinstall instructions:

- Backup the SOR database.

Post Install instructions:

- Review all log files for errors
- Rebind invalid packages. After replacing the set_xact_fraud_flag procedure, the packages for procedures save_alert_and_tranids and reclassify_alert will be marked invalid.

Steps to Install the patch:

- Extract the tar/gunzip the file sor_db2_upgrade_3.3.1.8.tar.gz
- cd to the patches directory

```
cd sasfmcpc/database/db2/sor/patches/patch_3.3.1.8
```

- From the patches directory, run:

```
db2 connect to <dbname> user <username>  
db2 set current schema <schema_owner>  
db2 set current path <schema_owner>,sysibm,sysfun
```



```
#Replace the SET_XACT_FRAUD_FLAG . Stored Procedure  
db2 -td@ -f set_xact_fraud_flag.sql > set_xact_fraud_flag.sql.log  
*** Check Log file for errors ****
```

```
#The dml script will insert the hotfix 3.3 M1 HF8 version number to the FCM_VERSION table.
```

```
db2 -tvf dml.sql > dml.log  
*** Check Log file for errors ****
```