

# INSTALLATION INSTRUCTIONS FOR HOT FIX 21MODELMGR02 ON Solaris 64BIT

## BEFORE DOWNLOADING:

The hot fix 21MODELMGR02 addresses the issue(s) in SAS Model Manager 2.1 Software on Solaris 64bit as documented in the "Issue(s) Addressed" section of the hot fix download page:

<http://ftp.sas.com/techsup/download/hotfix/modelmgr02.html#21modelmgr02>

## IMPORTANT NOTE(S):

1. You must have SAS Model Manager 2.1 installed on your system before applying this hot fix.
2. It is always recommended that a backup of the original files be made whenever deploying any patch.
3. You must have Administrator Privileges on your CLIENT or SERVER machine.
4. All currently active SAS sessions, daemons, spawners and servers must be terminated before applying this hot fix.
5. If Java Web Start is used to invoke SAS Model Manager, you should review SAS Note SN-030766 at <http://support.sas.com/kb/30/766.html> for instructions on how to fully implement this hot fix.

## INSTALLATION:

The hot fix package downloaded is a tar file named **21modelmgr02s6.tar**.

1. Extract the contents of 21modelmgr02s6.tar to a temporary directory. For example,

```
$ cd /tmp
$ tar -xf 21modelmgr02s6.tar
```

This will create a directory named 21modelmgr02 which contains the files

```
21mmserver02s6.tar
    contains SAS Model Manager 2.1 back-end server updates
```

```
21mmapi02s6.tar
    contains SAS Model Manager 2.1 mid-tier server updates
```

21mmgui02wn.exe  
contains SAS Model Manager 2.1 client updates

Each individual hot fix file should be copied to the appropriate machine(s) where the components to be updated are installed.

2. Use the instructions below to update the individual components that are applicable to your implementation.

### ***Installing 21mmserver02s6.tar***

In these instructions, the directory where SAS 9.1.3 (9.1 TS1M3) is installed is:

```
/usr/lib/sas913
```

1. Be sure to save a copy of each of the existing files before replacing them with the updated files. The files that should be backed up before continuing are listed in the next step (Step #2).

2. Assuming *21mmserver02s6.tar* is located in the installer's HOME directory, follow these procedures to install the package. The installation process will install the updated files to the SAS Model Manager 2.1 back-end server.

```
$> cd /usr/lib/sas913
```

```
$> tar -xvf $HOME/21mmserver02s6.tar
```

The files installed include:

```
!SASROOT/misc/mmserver/sas.analytics.mm.jar  
!SASROOT/misc/mmserver/sas.analytics.mm.meta.jar  
!SASROOT/misc/mmserver/sas.apps.eminer.client.jar <==== NEW file  
!SASROOT/misc/mmserver/sas.apps.session.jar
```

3. Execute the script that will update the hot fix installation history file. This script MUST be executed from the !SASROOT directory.

```
$> pwd  
/usr/lib/sas913
```

```
$> install/admin/hotfix/histupd_21mmserver02
```

## ***Installing 21mmapi02s6.tar***

1. Technical Support strongly suggests that you back up the files being replaced by this hot fix. Before executing the installer for SAS Model Manager 2.1 mid-tier server updates, you should make a back up of the directory

```
<!SASHOME>/SASAPCore/apps/ModelManagement/lib/
```

The file

```
<!SASHOME>/SASAPCore/ext/sas.analytics.mm.meta.jar
```

should also be backed up.

2. Remove all files in the directory

```
<!SASHOME>/SASAPCore/apps/ModelManagement/lib/
```

The files removed will be re-installed to a different location when the installer is executed as instructed below.

3. Extract the contents of *21mmapi02s6.tar* into a temporary directory, for example /tmp/21mmapi02s6.

```
$> mkdir /tmp/21mmapi02s6
```

```
$> cd /tmp/21mmapi02s6
```

```
$> tar -xvf $HOME/21mmapi02s6.tar
```

where \$HOME is the location to where the tar file was downloaded.

The tar command will extract the following files to the temporary directory:

```
s64/Setup_Solaris_Sparc  
s64/media.inf  
s64/setup.jar
```

4. Verify that Setup\_Solaris\_Sparc has execute permission. If it does not, use the 'chmod' command to make it executable:

```
$> cd /tmp/21mmapi02s6/s64
```

```
$> chmod 755 Setup_Solaris_Sparc
```

5. Initiate the installation wizard

```
$> export DISPLAY=<nodename>:0          <==== set your display
$> cd /tmp/21mmapi02s6/s64
$> ./Setup_Solaris_Sparc
```

This will initiate the Java install wizard. Follow the prompts to complete the installation.

6. Edit the file `<!SASHOME>/SASAPCore/conf/jsse_selection.config`. Add the following line at the end of this file:

```
com.sas.analytics.modelmanager=false
```

7. To verify the installation of the hot fix confirm that the file(s) in the location(s) below have been updated to the level indicated by the date provided:

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/activation.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/jdom.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/jh.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.analytics.avp.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.analytics.emapi.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.analytics.emui.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.analytics.mds.mdsapp.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.core.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.gl.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.gtk.jar
Date: 11/14/07 (EST)
```

```
<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.j2d.jar
Date: 11/14/07 (EST)
```

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.nld.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.pfd.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.silk.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.silk3d.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.graph.silkext.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.icons.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.mdsapp.doc.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.sg.base.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.sg.charts.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.sg.datadef.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.sg.dataimpl.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.sg.resources.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/guiLib/sas.storage.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/lib/sas.analytics.mm.war  
Date: 12/03/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/lib/sas.analytics.svc.jar  
Date: 11/14/07 (EST)

<!SASHOME>/SASAPCore/apps/ModelManagement/lib/sas.analytics.mm.jar  
Date: 12/03/07 (EST)

<!SASHOME>/SASAPCore/ext/sas.analytics.mm.meta.jar  
Date: 12/03/07 (EST)

## **Installing 21mmgui02wn.exe**

1. Technical Support strongly suggests that you back up the files being replaced by this hot fix. You should always try to include the current date in the name of the backup file created to distinguish between versions of backup files. By doing this you will maintain a history of the file, which will be helpful when multiple iterations of a hot fix have been applied to the same file.

For example,

```
cp sas.foo.jar sas.foo.jar.07012006
```

where 07012006 is the date when the hot fix is applied.

The .<date> extension MUST be appended AFTER the .jar extension as it appears above to avoid unexpected results due to jar mismatching.

The files that should be backed up for this hot fix are listed in Step #3 below.

2. Launch the executable, which will initiate a Java install wizard and will guide you through the extraction of the updated components.

3. To verify the installation of the hot fix confirm that the file(s) in the location(s) below have been updated to the level indicated by the date provided:

C:\ProgramFiles\SAS\SASModelManagerClient\2.1\sas.apps.eminer.client.jar <== *NEW file*  
Date: 11/07/07 (EST)

C:\ProgramFiles\SAS\SASModelManagerClient\2.1\sas.apps.session.jar  
Date: 11/07/07 (EST)

C:\ProgramFiles\SAS\SASModelManagerClient\2.1\sas.analytics.mm.jar  
Date: 12/03/07 (EST)

C:\ProgramFiles\SAS\SASModelManagerClient\2.1\sas.analytics.mm.meta.jar  
Date: 12/03/07 (EST)

This completes the installation of hot fix 21MODELMGR02 on Solaris.